

# Safety Data Sheet

Approval/Revision date: 24.05.2010  
Print Date: 23.09.2010  
00000027094/Version: 1.6  
Page: 1/6



## 1. Identification of the substance/mixture and of the company/undertaking

**Product name:** 300 Thermal Plate Developer

**Product code:** 7827421

**Supplier:** KODAK LIMITED, Hemel One, Boundary Way, Hemel Hempstead, HP2 7YU, Great Britain

IN EMERGENCY, telephone: 0870-2430270. Available during office hours only.

For further information about this product, telephone 0870-2430270 or email kes@kodak.com.

**Synonyms:** None.

**Product Use:** plate processing chemical, For industrial use only.

## 2. Hazards identification

This Safety Data Sheet conforms to REACH Regulation (EC) 1907/2006.

**Product:** Irritant. Irritating to eyes and skin.

## 3. Composition/information on ingredients

Weight percent	Component	CAS-No.	EINECS-No./ ELINCS No.	Classification
5 - 10	Silicic acid, sodium salt	1344-09-8	215-687-4	C; R34**
1 - 5	Betaines, coco alkyl dimethyl	68424-94-2	270-329-4	R38, R41**
0.1 - < 1	lithium chloride	7447-41-8	231-212-3	Xn; R22, R36/38**

\* Symbol and R Phrase according to EC Annex I

\*\* Substance not listed in EC Annex I

## 4. First aid measures

**Inhalation:** If symptomatic, move to fresh air. Get medical attention if symptoms occur.

**Eyes:** In case of contact with eyes, flush immediately with plenty of water and seek medical attention.

**Skin:** Immediately flush with plenty of water for at least 15 minutes and wash using soap. Get medical attention if symptoms occur.

**Ingestion:** Do NOT induce vomiting. Give victim a glass of water. Get medical attention immediately. Never give anything by mouth to an unconscious person.

## 5. Fire-fighting measures

**Extinguishing Media:** Use appropriate agent for adjacent fire.

# Safety Data Sheet

Approval/Revision date: 24.05.2010

Print Date: 23.09.2010

00000027094/Version: 1.6

Page: 2/6

**Special Fire-Fighting Procedures:** Wear self-contained breathing apparatus and protective clothing. Fire or excessive heat may produce hazardous decomposition products. Wear self-contained breathing apparatus and protective clothing.

**Hazardous Combustion Products:** Fire or excessive heat may produce hazardous decomposition products., (see also Stability and Reactivity section).

**Unusual Fire and Explosion Hazards:** None.

## 6. Accidental release measures

**Personal precautions:** See Section 8 for recommendations on the use of personal protective equipment.

**Environmental precautions:** Prevent spillage from entering drains. Absorb spill with vermiculite or other inert absorbant material such as sand or earth, then place in a suitable container for proper disposal. Clean surface thoroughly with water to remove residual contamination.

**Waste disposal:** Contaminated absorbent should be disposed of in accordance with local regulations.

## 7. Handling and storage

**Personal precautions:** Avoid breathing mist or vapour. Avoid contact with eyes, skin, and clothing. Wash thoroughly after handling. Use with adequate ventilation.

**Prevention of Fire and Explosion:** No special precautionary measures should be needed under anticipated conditions of use.

**Storage:** Cool conditions (5 - 30°C). Keep container tightly closed. Keep away from incompatible substances (see Incompatibility section.)

**Ventilation:** Match ventilation rates to conditions of use so as not to exceed any applicable exposure limits (see Section 8). Good general ventilation of 10 or more room volumes per hour in the work area is recommended.

## 8. Exposure controls/personal protection

**Occupational exposure controls:** Not established

**Ventilation:** Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions.

**Respiratory protection:** None should be needed under normal conditions of use.

**Eye protection:** Wear safety glasses with side shields or protective goggles whenever mixing or handling solutions.

**Skin and body protection:** Using the information provided in Section 2, seek the advice of the glove supplier as to the most suitable glove material. Avoid skin contact when mixing or handling the substance/preparation or a mixture by wearing impervious gloves and protective clothing appropriate to the risk of exposure.

Use chemical resistant gloves. In case of prolonged immersion or frequently repeated contact:

Material	Thickness	Breakthrough time
Nitrile rubber	>= 0.38 mm	> 480 min
Neoprene	>= 0.65 mm	> 240 min

## Safety Data Sheet

Approval/Revision date: 24.05.2010

Print Date: 23.09.2010

000000027094/Version: 1.6

Page: 3/6

---

butyl-rubber

$\geq 0.36$  mm

> 480 min

Avoid natural rubber gloves.

The protective gloves to be used must comply with the specifications of the EC directive 89/686/EEC and the resultant standard EN 374. This recommendation applies only to the product stated in the Safety Data Sheet and supplied by us as well as to the purpose specified by us.

**Recommended Decontamination Facilities:** Safety shower, eye wash, washing facilities as appropriate to condition of use.

### 9. Physical and chemical properties

**Physical form:** liquid

**Colour:** colourless

**Odour:** slight

**Specific gravity:** 1.0777

**Vapour pressure:** no data available

**Vapour density:** no data available

**Volatile fraction by weight:** 90 - 95 %

**Water solubility:** soluble

**pH:** 13.4

**Flash point:** does not flash

### 10. Stability and reactivity

**Stability:** Stable under normal conditions.

**Incompatibility:** Acids.

**Hazardous decomposition products:** Carbon oxides, silicon oxides

**Hazardous Polymerization:** Hazardous polymerisation does not occur.

### 11. Toxicological information

#### Effects of Exposure

**Inhalation:** Expected to be a low hazard for recommended handling.

**Eyes:** Irritating to eyes.

**Skin:** Irritating to skin.

**Ingestion:** Expected to be a low ingestion hazard.

## Safety Data Sheet

Approval/Revision date: 24.05.2010  
Print Date: 23.09.2010  
000000027094/Version: 1.6  
Page: 4/6

---

### Data for Silicic acid, sodium salt (CAS 1344-09-8):

#### Acute Toxicity Data:

- Oral LD50 (rat): 1,153 mg/kg
- Dermal LD50 (rabbit): > 4,640 mg/kg
  - Skin irritation: Corrosive
  - Eye irritation: Severe eye irritation

#### Mutagenicity/Genotoxicity Data:

Chromosomal aberration assay: negative (in presence and absence of activation)

Definitions for the following section(s): LOEL =lowest-observed-effect level, LOAEL = lowest-observed-adverse-effect, NOAEL = no observed-adverse-effect level, NOEL =no-observed-effect level.

#### Repeated dose toxicity:

- Oral (180 days, male and female rat): NOAEL; 159 mg/kg/day (highest dose tested)

### Data for lithium chloride (CAS 7447-41-8):

#### Acute Toxicity Data:

- Oral LD50 (rat): 526 mg/kg
- Dermal LD50 (guinea pig): 500 - 1,000 mg/kg
  - Skin irritation: severe
  - Eye irritation: moderate

## 12. Ecological information

The following properties are ESTIMATED from the components of the preparations.

#### Potential Toxicity:

Toxicity to fish (LC50): > 100 mg/l

Toxicity to daphnia (EC50): > 100 mg/l

**Persistence and degradability:** Not readily biodegradable.

## 13. Disposal considerations

Dispose according to the local regulations or guidelines that apply to the category of waste. Ensure the use of properly authorised waste management companies.

**Waste material:** Waste material is currently classified as hazardous under Council Directive 91/689/EEC. The European Waste Catalogue Code is 09 01 02 Water based offset plate developer solutions. Dispose according to the local regulations or guidelines that apply to the category of waste. Ensure the use of properly authorised waste management companies.

**Product containers:** If thoroughly cleaned, preferably by rinsing at least three times with small quantities of water, waste product packaging may be consigned for recovery or disposal as non hazardous waste. The European Waste Catalogue Code is 15 01 02 plastic packaging.

Dispose of contents/container in accordance with local regulation.

## Safety Data Sheet

Approval/Revision date: 24.05.2010

Print Date: 23.09.2010

000000027094/Version: 1.6

Page: 5/6

### 14. Transport information

Not regulated for all modes of transportation.

For more transportation information, go to: [www.kodak.com/go/ship](http://www.kodak.com/go/ship).

### 15. Regulatory information

#### Notification status

Regulatory List	Notification status
TSCA	Not all listed
DSL	Not all listed
NDSL	None listed
EINECS	Not all listed
ELINCS	None listed
NLP	None listed
AICS	Not all listed
IECS	Not all listed
ENCS	Not all listed
ECI	Not all listed
NZIoC	Not all listed
PICCS	Not all listed

"Not all listed" indicates one or more component is either not on the public Inventory or is subject to exemption requirements. If additional information is needed contact Kodak.

#### Labelling:

The data below reflects current legislative requirements whereas the product in your possession may carry a different version of the label depending on the date of manufacture.

**Contains:** Silicic acid, sodium salt



## Safety Data Sheet

Approval/Revision date: 24.05.2010

Print Date: 23.09.2010

000000027094/Version: 1.6

Page: 6/6

---

**Symbol/Indication of Danger:** Xi: Irritant

**Risk Phrases:** R36/38: Irritating to eyes and skin.

**Safety Phrases:** S26: In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

### 16. Other information

---

The following is an explanation of the meaning of the Symbol letters and Risk Phrases for the pure substance(s) referred to in Section 2 of this Safety Data Sheet.

C: Corrosive

Xn: Harmful

R22: Harmful if swallowed.

R34: Causes burns.

R36/38: Irritating to eyes and skin.

R38: Irritating to skin.

R41: Risk of serious damage to eyes.

---

Users should consider these data only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use and disposal of these materials and the safety and health of employees and customers and the protection of the environment. The information relating to the working solution is for guidance purposes only, and is based on correct mixing and use of the product according to instructions.

---