

# Safety Data Sheet

Approval/Revision date: 05.02.2010  
Print Date: 23.09.2010  
Z33000000590/Version: 1.5  
Page: 1/6



## 1. Identification of the substance/preparation and of the company/undertaking

**Product name:** Goldstar Plus Plate Developer

**Product code:** 3800802

**Supplier:** KODAK LIMITED, Hemel One, Boundary Way, Hemel Hempstead, HP2 7YU, Great Britain

IN EMERGENCY, telephone: 0870-2430270. Available during office hours only.

For further information about this product, telephone 0870-2430270 or email kes@kodak.com.

**Synonyms:** F1699

**Product Use:** plate processing chemical (developer), For industrial use only.

## 2. Hazards identification

This Safety Data Sheet conforms to REACH Regulation (EC) 1907/2006.

**Product:** Irritant. Irritating to eyes and skin.

## 3. Composition/information on ingredients

Weight %	Component	CAS-No.	EINECS-No./ ELINCS No.	Classification
5 - < 10	Silicic acid, sodium salt	1344-09-8	215-687-4	C; R34**

\* Symbol and R Phrase according to EC Annex I

\*\* Substance not listed in EC Annex I

## 4. First aid measures

**Inhalation:** If symptomatic, move to fresh air. Get medical attention if symptoms occur.

**Eyes:** In case of contact with eyes, flush immediately with plenty of water and seek medical attention.

**Skin:** Immediately flush with plenty of water for at least 15 minutes and wash using soap. Get medical attention if symptoms occur.

**Ingestion:** Do NOT induce vomiting. Give victim a glass of water. Get medical attention immediately. Never give anything by mouth to an unconscious person.

## 5. Fire-fighting measures

**Extinguishing Media:** The product is not flammable. Use appropriate agent for adjacent fire.

**Special Fire-Fighting Procedures:** No special fire fighting procedure is necessary.

**Hazardous Combustion Products:** None., (see also Stability and Reactivity section).

# Safety Data Sheet

Approval/Revision date: 05.02.2010  
Print Date: 23.09.2010  
Z33000000590/Version: 1.5  
Page: 2/6

**Unusual Fire and Explosion Hazards:** None.

## 6. Accidental release measures

**Personal precautions:** See Section 8 for recommendations on the use of personal protective equipment.

**Environmental precautions:** Prevent spillage from entering drains. Absorb spill with vermiculite or other inert absorbant material such as sand or earth, then place in a suitable container for proper disposal. Clean surface thoroughly with water to remove residual contamination.

**Waste disposal:** Contaminated absorbent should be disposed of in accordance with local regulations.

## 7. Handling and storage

**Personal precautions:** Avoid breathing mist or vapour. Avoid contact with eyes, skin, and clothing. Wash thoroughly after handling. Use only with adequate ventilation.

**Prevention of Fire and Explosion:** No special technical protective measures required.

**Storage:** Cool conditions (5 - 30°C). Keep container tightly closed. Keep away from incompatible substances (see Incompatibility section.)

**Ventilation:** Match ventilation rates to conditions of use so as not to exceed any applicable exposure limits (see Section 8). Good general ventilation of 10 or more room volumes per hour in the work area is recommended.

## 8. Exposure controls/personal protection

**Occupational exposure controls:** Not established

**Ventilation:** Avoid exposure to mists and vapours by mixing solutions in closed vessels and/or under local exhaust ventilation. Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions.

**Respiratory protection:** None should be needed under normal conditions of use.

**Eye protection:** Wear safety glasses with side shields or protective goggles whenever mixing or handling solutions.

**Skin and body protection:** Using the information provided in Section 2, seek the advice of the glove supplier as to the most suitable glove material. Avoid skin contact when mixing or handling the substance/preparation or a mixture by wearing impervious gloves and protective clothing appropriate to the risk of exposure.

Use chemical resistant gloves. In case of prolonged immersion or frequently repeated contact:

Material	Thickness	Breakthrough time
Nitrile rubber	>= 0.38 mm	> 480 min
Neoprene	>= 0.65 mm	> 240 min
butyl-rubber	>= 0.36 mm	> 480 min

Avoid natural rubber gloves.

The protective gloves to be used must comply with the specifications of the EC directive 89/686/EEC and the resultant standard EN 374. This recommendation applies only to the product stated in the Safety Data Sheet and supplied by us as well as to the purpose specified by us.

## Safety Data Sheet

Approval/Revision date: 05.02.2010  
Print Date: 23.09.2010  
Z33000000590/Version: 1.5  
Page: 3/6

---

**Recommended Decontamination Facilities:** Safety shower, eye wash, washing facilities as appropriate to condition of use.

### 9. Physical and chemical properties

**Physical form:** liquid

**Colour:** orange

**Odour:** odourless

**Specific gravity:** 1.088

**Vapour pressure:** 24 mbar (18.0 mm Hg)

**Vapour density:** 0.6

**Volatile fraction by weight:** > 90 %

**Boiling point/boiling range:** > 100 °C (212.0 °F)

**Melting point/range:** < 0 °C (32.0 °F)

**Water solubility:** soluble

**pH:** 13

**Flash point:** does not flash

### 10. Stability and reactivity

**Stability:** Stable under normal conditions.

**Incompatibility:** Strong acids.

**Hazardous decomposition products:** None under normal conditions of use.

**Hazardous Polymerization:** Hazardous polymerisation does not occur.

### 11. Toxicological information

#### Effects of Exposure

**Inhalation:** Expected to be a low hazard for recommended handling.

**Eyes:** Irritating to eyes.

**Skin:** Irritating to skin.

**Ingestion:** Expected to be a low ingestion hazard.

**Data for Silicic acid, sodium salt (CAS 1344-09-8):**

**Acute Toxicity Data:**

## Safety Data Sheet

Approval/Revision date: 05.02.2010  
Print Date: 23.09.2010  
Z33000000590/Version: 1.5  
Page: 4/6

---

- Oral LD50 (rat): 1,153 mg/kg
- Dermal LD50 (rabbit): > 4,640 mg/kg
  - Skin irritation: Corrosive
  - Eye irritation: Severe eye irritation

### **Mutagenicity/Genotoxicity Data:**

Chromosomal aberration assay: negative (in presence and absence of activation)

Definitions for the following section(s): LOEL =lowest-observed-effect level, LOAEL = lowest-observed-adverse-effect, NOAEL = no observed-adverse-effect level, NOEL =no-observed-effect level.

### **Repeated dose toxicity:**

- Oral (180 days, male and female rat): NOAEL; 159 mg/kg/day (highest dose tested)

## 12. Ecological information

The following properties are ESTIMATED from the components of the preparations.

### **Potential Toxicity:**

Toxicity to fish (LC50):	> 100 mg/l
Toxicity to daphnia (EC50):	> 100 mg/l
Toxicity to algae (IC50):	10 - 100 mg/l

## 13. Disposal considerations

This information is provided to assist users in the correct disposal of working solutions prepared and used to Kodak specifications.

**Working solution:** European Waste Catalogue EWC: 09 01 02 Water based offset plate developer solutions

**Product containers:** If thoroughly cleaned, preferably by rinsing at least three times with small quantities of water, waste product packaging may be consigned for recovery or disposal as non hazardous waste. Whenever possible, minimize waste by using the rinsing water to make up the working solution. The European Waste Catalogue Code is 15 01 02 plastic packaging.

Waste product packaging contaminated by residues of hazardous contents should be consigned for disposal as hazardous waste. In this case, the European Waste Catalogue Code is 15 01 10 packaging containing residues of or contaminated by dangerous substances.

## 14. Transport information

The information given below is provided to assist in documentation. It may supplement the information on the package. The package in your possession may carry a different version of the label depending on the date of manufacture. Depending on inner packaging quantities and packaging instructions, it may be subject to specific regulatory exceptions. Please consult the product packaging for further details.

<b>ADR:</b>	UN-Number:	UN3266
	Proper shipping name:	CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (Sodium silicate (1-<=1.6))
	Class:	8

## Safety Data Sheet

Approval/Revision date: 05.02.2010

Print Date: 23.09.2010

Z33000000590/Version: 1.5

Page: 5/6

---

	Packaging group:	III
<b>IATA:</b>	UN-Number:	UN3266
	Proper shipping name:	CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (Sodium silicate (1-<=1.6))
	Class:	8
	Packaging group:	III
<b>IMDG:</b>	UN-Number:	UN3266
	Proper shipping name:	CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (Sodium silicate (1-<=1.6))
	Class:	8
	Packaging group:	III
<b>RID:</b>	UN-Number:	UN3266
	Proper shipping name:	CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (Sodium silicate (1-<=1.6))
	Class:	8
	Packaging group:	III

For more transportation information, go to: [www.kodak.com/go/ship](http://www.kodak.com/go/ship).

### 15. Regulatory information

#### Notification status

Regulatory List	Notification status
TSCA	Not all listed
DSL	Not all listed
NDSL	None listed
EINECS	Not all listed
ELINCS	None listed
NLP	None listed
AICS	Not all listed
IECS	Not all listed
ENCS	Not all listed
ECI	Not all listed
NZIoC	Not all listed
PICCS	Not all listed

"Not all listed" indicates one or more component is either not on the public Inventory or is subject to exemption requirements. If additional information is needed contact Kodak.

#### Labelling:

The data below reflects current legislative requirements whereas the product in your possession may carry a different version of the label depending on the date of manufacture.

**Contains:** Silicic acid, sodium salt

# Safety Data Sheet

Approval/Revision date: 05.02.2010  
Print Date: 23.09.2010  
Z33000000590/Version: 1.5  
Page: 6/6

---

pH: > 12



**Symbol/Indication of Danger:** Xi: Irritant

**Risk Phrases:** R36/38: Irritating to eyes and skin.

**Safety Phrases:** S26: In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

## 16. Other information

The following is an explanation of the meaning of the Symbol letters and Risk Phrases for the pure substance(s) referred to in Section 2 of this Safety Data Sheet.

C: Corrosive

R34: Causes burns.

---

Users should consider these data only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use and disposal of these materials and the safety and health of employees and customers and the protection of the environment. The information relating to the working solution is for guidance purposes only, and is based on correct mixing and use of the product according to instructions.

---